

PGAM1, 1-254aa, Mouse, His tag, E.coli

Cat.NO.: TP03370

3th Edition

Synonyms: Phosphoglycerate mutase 1, 2310050F24Rik, Pgam-1.

Description: PGAM1 belongs to the phosphoglycerate mutase family. This protein is important components of glucose and 2,3-BPGA (2,3-bisphosphoglycerate) metabolism and catalyzes the reversible reaction of 3-phosphoglycerate (3-PGA) to 2-phosphoglycerate (2-PGA) in the glycolytic pathway. The PGAM is a dimeric enzyme containing, in different tissues, different proportions of a slow-migrating muscle (MM) isozyme, a fastmigrating brain (BB) isozyme, and a hybrid form (MB).

Form: Liquid. 20mM Tris-HCl buffer (pH8.0) containing 20% glycerol, 0.1M NaCl, 1mM DTT

Molecular Weight: 31.4 kDa (278aa) confirmed by MALDI-TOF

Sequences:

MGSSHHHHHSSGLVPRGSHMGSHMAAYKLVLRHGESAWNLENRFSGWYDADLSPAGHEEAKRGGQALRDAG
YFDICFTSVQKRAIRTLWTVLDAIDQMWLPVVRTWRLNERHYGGLTGLNKAETA AKHG EAQVKIWRRSYDVPPPP
MEPDHFPFYSNISKDRRYADLTEDQLPSCESLKDTIARALPFWNEEIVPQIKEGKRVLIAAHGNSLRGIVKHLEGLSEE
AIMELNLPTGIPIVYELDKNLKPIKPMQFLGDEETVRKAMEAVAAQGKVKK

Purity: > 95% by HPLC

Concentration: 1mg/ml (determined by Bradford assay)

Endotoxin Level: <1.0 EU per 1 ug of protein (determined by LAL method)

Storage: Can be stored at +4°C short term (1-2 weeks). For long term storage, aliquot and store at -20°C or -70°C. Avoid repeated freezing and thawing cycles.