

Instruction manual FOR RESEARCH USE ONLY NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

Recombinant Human SOD2/Mn-SOD Protein(N-6His)

Cat.NO.: TP05240

3th Edition

Synonyms: Superoxide Dismutase [Mn] Mitochondrial; SOD2

Description: Superoxide Dismutase (SOD2) is a number of the iron/manganese superoxide dismutase family. SOD2 is a mitochondrial protein that forms a homotetramer and binds one manganese ion per subunit. The SOD2 protein transforms toxic superoxide and a byproduct of the mitochondrial electron transport chain into hydrogen peroxide and diatomic oxygen. Genetic variation in SOD2 is associated with microvascular complications of diabetes type 6 (MVCD6), idiopathic cardiomyopathy (IDC), sporadic motor neuron disease, and cancer. SOD2 destroys superoxide anion radicals which are usually produced within the cells and which are toxic to biological systems.

Form:PBS

Molecular Weight:23.7 kDa

Sequences:Lys25-Lys222

Purity:> 95% by HPLC

Concentration:

Endotoxin Level:<1.0 EU per 1 ug of protein (determined by LAL method)

Storage:Can be stored at +4°C short term (1-2 weeks). For long term storage, aliquot and store at -20°C or -70°C. Avoid repeated freezing and thawing cycles.

1/1