

Recombinant Human NCR3/NKp30/CD337 Protein(C-Fc)

Cat.NO.: TP05667

3th Edition

Synonyms:Natural Cytotoxicity Triggering Receptor 3; Activating Natural Killer Receptor p30; Natural Killer Cell p30-Related Protein; NK-p30; NKp30; CD337; NCR3; 1C7; LY117

Description:Natural Cytotoxicity Triggering Receptor 3 (NCR3) along with NKp44 and NKp46 constitute a group of receptors termed "Natural Cytotoxicity Receptors". They play a major role in triggering NK-mediated killing of most tumor cells lines. NKp30 is a type I transmembrane protein having a single extracellular V-like immunoglobulin domain. NKp30 is selectively expressed both in resting and activated human NK cells. In addition, NKp30 is also involved in NK-mediated induction of dendritic cell (DC) maturation. It has been demonstrated that NK cell activation signaling specifically induces lytic activity against several tumor cell types and synthesis of new NF- κ B dependent proteins during the initiation of cytotoxicity.

Form:PBS

Molecular Weight:40.2 kDa

Sequences:Leu19-Thr138

Purity:> 95% by HPLC

Concentration:

Endotoxin Level:<1.0 EU per 1 ug of protein (determined by LAL method)

Storage:Can be stored at +4°C short term (1-2 weeks). For long term storage, aliquot and store at -20°C or -70°C. Avoid repeated freezing and thawing cycles.