

**Recombinant Human Valosin-Containing Protein/VCP Protein(C-6His)**

**Cat.NO.: TP05917**

---

3th Edition

**Synonyms:** Transitional Endoplasmic Reticulum ATPase; TER ATPase; 15S Mg(2+)-ATPase p97 Subunit; Valosin-Containing Protein; VCP

**Description:** Valosin-Containing Protein (VCP) is a nuclear protein that belongs to the AAA ATPase family. VCP is a putative ATP-binding protein involved in vesicle transport and fusion, 26S proteasome function, and assembly of peroxisomes. It is necessary for the fragmentation of Golgi stacks during mitosis and their reassembly after mitosis. VCP has been implicated in a number of cellular events that are regulated during mitosis, including homotypic membrane fusion, spindle pole body function, and ubiquitin-dependent protein degradation. VCP participates in the formation of the transitional endoplasmic reticulum (tER) and regulates E3 ubiquitin-protein ligase activity of RNF19A.

**Form:** PBS

**Molecular Weight:** 66.4 kDa

**Sequences:** Ala2-Asn589

**Purity:** > 95% by HPLC

**Concentration:**

**Endotoxin Level:** <1.0 EU per 1 ug of protein (determined by LAL method)

**Storage:** Can be stored at +4°C short term (1-2 weeks). For long term storage, aliquot and store at -20°C or -70°C. Avoid repeated freezing and thawing cycles.