

Instruction manual FOR RESEARCH USE ONLY NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

Recombinant Human Tissue Inhibitor of Metalloproteinases 1 Protein

Cat.NO.: TP06039

3th Edition

Synonyms:Metalloproteinase Inhibitor 1; Erythroid-Potentiating Activity; EPA; Fibroblast collagenase Inhibitor; Collagenase Inhibitor of Metalloproteinases 1; TIMP-1; TIMP1; CLGI; TIMP

Description: Tissue Inhibitor of Metalloproteinases 1 (TIMP-1) is a member of TIMP family. The homologous proteins of TIMPs regulate the activity of matrix metalloproteinases (MMPs), including inhibition of active MMPs, proMMP activation, cell growth promotion, matrix binding, inhibition of angiogenesis and the induction of apoptosis. Timp-1 complexes with metalloproteinases (such as collagenases) and irreversibly inactivates them by binding to their catalytic zinc cofactor. It also mediates erythropoiesis in vitro; but, unlike IL-3, it is species-specific, stimulating the growth and differentiation of only human and murine erythroid progenitors. It is known to act on MMP-1, MMP-2, MMP-3, MMP-7, MMP-8, MMP-9, MMP-10, MMP-11, MMP-12, MMP-13, and MMP-16, without MMP-14.

Form:PBS

Molecular Weight:21.8 kDa

Sequences: Cys24-Ala207

Purity:> 95% by HPLC

Concentration:

Endotoxin Level:<1.0 EU per 1 ug of protein (determined by LAL method)

Storage:Can be stored at +4°C short term (1-2 weeks). For long term storage, aliquot and store at -20°C or -70°C. Avoid repeated freezing and thawing cycles.

1/1